

# Nucleic Acids Symposium Series

Institution: [uspto](#) [Sign In as Personal Subscriber](#)

- [Oxford Journals](#)
- [Nucleic Acids Symposium Series](#)
- No. 48



Recommend this journal to your library

Receive this page by email each issue: [\[Sign up for eTOCs\]](#)

**Contents: No. 48, November 2004** [\[Index by Author\]](#)

Other Issues: [←](#) [→](#)

[Articles](#)

## Thirty-first Symposium on Nucleic Acids Chemistry

Find articles in this issue containing these words:

[Enter](#)

[\[Search ALL Issues\]](#)

To see an article, click its [\[Full Text\]](#) or [\[PDF\]](#) link. To review many abstracts, check the boxes to the left of the titles you want, and click the 'Get All Checked Abstract(s)' button. To see one abstract at a time, click its [\[Abstract\]](#) link.

[Clear](#)

[Get All Checked Abstract\(s\)](#)

## Articles

- ☐ Hiroki Kumamoto, Kazuki Deguchi, Nonoko Takahashi, and Hiromichi Tanaka  
**Synthesis of novel 4'-modified neplanocin A analogues based on radical-mediated sulfur-extrusive stannylation**  
Nucleic Acids Symp Ser 2004 48: 1-2; doi:10.1093/nass/48.1.1 [\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Tokumi Maruyama, Shigetada Kozai, Yosuke Demizu, Myriam Witvrouw, Christophe Pannecouque, Jan Balzarini, Robert Snoeck, Graciella Andrei, and Erik De Clercq  
**Synthesis and antiviral activity of 1-substituted 3-(3,5-dimethylbenzyl)uracil against HIV-1**  
Nucleic Acids Symp Ser 2004 48: 3-4; doi:10.1093/nass/48.1.3 [\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Toshiyuki Kaneko, Toshinori Katsurabara, Yasuhiro Matsui, Mariko Aso, Noboru Koga, and Hiroshi Suemune  
**Molecular design of novel spin-labeled nucleosides directly attached base moiety**  
Nucleic Acids Symp Ser 2004 48: 5-6; doi:10.1093/nass/48.1.5 [\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Mitsuaki Sekiguchi, Satoshi Obika, Roonjang Somjing, and Takeshi Imanishi  
**Synthesis and properties of a novel bridged nucleic acid analogue bearing a P3'→N5' phosphoroamidate linkage, 5'-amino-3', 5'-BNA**  
Nucleic Acids Symp Ser 2004 48: 7-8; doi:10.1093/nass/48.1.7 [[Abstract](#)] [[PDF](#)] [[Request Permissions](#)]
- ❑ Tadashi Umemoto and Takeshi Wada  
**Oligoribonucleotide synthesis by the use of 1-(2-cyanoethoxy)ethyl (CEE) as a 2'-hydroxy protecting group**  
Nucleic Acids Symp Ser 2004 48: 9-10; doi:10.1093/nass/48.1.9 [[Abstract](#)] [[PDF](#)] [[Request Permissions](#)]
- ❑ Victor E. Marquez  
**Chemical and biological consequences of locking the conformation of nucleosides at the two antipodal extremes of the pseudorotational cycle**  
Nucleic Acids Symp Ser 2004 48: 11-12; doi:10.1093/nass/48.1.11 [[Abstract](#)] [[PDF](#)] [[Request Permissions](#)]
- ❑ Hisao Saneyoshi, Keigo Tamaki, Kohji Seio, and Mitsuo Sekine  
**Synthesis and properties of 2'-O-cyanoethylated RNA derivatives**  
Nucleic Acids Symp Ser 2004 48: 13-14; doi:10.1093/nass/48.1.13 [[Abstract](#)] [[PDF](#)] [[Request Permissions](#)]
- ❑ Kenichi Miyata, Ryouta Mineo, Ryuji Tamamushi, Haruhiko Taguchi, Kohji Seio, and Mitsuo Sekine  
**Synthesis and properties of 5-pyrrolyl-cytidine and uridine derivatives**  
Nucleic Acids Symp Ser 2004 48: 15-16; doi:10.1093/nass/48.1.15 [[Abstract](#)] [[PDF](#)] [[Request Permissions](#)]
- ❑ Yoshihito Ueno, Takumi Kato, Kumiko Sato, Yasutomo Ito, Masahiro Ebihara, Jin Jiye, and Yukio Kitade  
**Synthesis and properties of DNA analogs consisting of the benzene-phosphate backbone**  
Nucleic Acids Symp Ser 2004 48: 17-18; doi:10.1093/nass/48.1.17 [[Abstract](#)] [[PDF](#)] [[Request Permissions](#)]
- ❑ Takayoshi Watanabe, Toshikazu Bando, Yan Xu, and Hiroshi Sugiyama  
**Efficient generation of 2'-deoxyuridin-5-yl at 5'-(G/C)AA<sup>X</sup>U<sup>X</sup>U-3' (X = Br, I) sequences in duplex DNA under UV-irradiation**  
Nucleic Acids Symp Ser 2004 48: 19-20; doi:10.1093/nass/48.1.19 [[Abstract](#)] [[PDF](#)] [[Request Permissions](#)]
- ❑ Yasuo Komatsu, Naoshi Kojima, Ken Nonaka, Yumi Fujinawa, Maiko Sugino, Akiko Mikami, Jyunya Hashida, Eiko Ohtsuka, and Kenichi Matsubara  
**Synthesis and application of new amino modification analogues for functional oligonucleotide**  
Nucleic Acids Symp Ser 2004 48: 21-22; doi:10.1093/nass/48.1.21 [[Abstract](#)] [[PDF](#)] [[Request Permissions](#)]
- ❑ Fumi Nagatsugi, Shizuka Nakayama, Monsur Md. Ali, and Shigeki Sasaki  
**Selective nitrosyl group transfer reaction to cytidine using oligonucleotides bearing S-nitrosothioguanosine**  
Nucleic Acids Symp Ser 2004 48: 23-24; doi:10.1093/nass/48.1.23 [[Abstract](#)] [[PDF](#)] [[Request Permissions](#)]
- ❑ Masaki Tsukamoto, Erkki J. Nurminen, Toshihiro Iwase, Masanori Kataoka, and Yoshihiro Hayakawa  
**Internucleotide-linkage formation via the phosphoramidite method using a carboxylic acid as a**

**promoter**

Nucleic Acids Symp Ser 2004 48: 25-26; doi:10.1093/nass/48.1.25

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Takehiko Wada, Yusuke Hashimoto, Hirofumi Sato, and Yoshihisa Inoue

**Synthesis of peptide ribonucleic acid consisting of D- and L- $\gamma$ -glutamic acid as a backbone structure**

Nucleic Acids Symp Ser 2004 48: 27-28; doi:10.1093/nass/48.1.27

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Akira Ono

**Development of novel oligonucleotide-based sensors which are highly Hg(II) selective and are insensitive to other heavy metal ions**

Nucleic Acids Symp Ser 2004 48: 29-30; doi:10.1093/nass/48.1.29

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Kazuki Tainaka, Akimitsu Okamoto, and Isao Saito

**Development of a novel solvatochromic pyrimidine analog for probing local dielectric environment of DNA polymerase**

Nucleic Acids Symp Ser 2004 48: 31-32; doi:10.1093/nass/48.1.31

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Masaki Hagihara, Tetsuya Hasegawa, Yukiko Tanabe, Shin-ichi Sato, Susumu Yoshikawa, Katsutoshi Ohkubo, and Takashi Morii

**Design of sensing ribonucleopeptides for small ligands**

Nucleic Acids Symp Ser 2004 48: 33-34; doi:10.1093/nass/48.1.33

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Rie Kawai, Michiko Kimoto, Tsuneo Mitsui, Shigeyuki Yokoyama, and Ichiro Hirao

**Site-specific fluorescent labeling of RNA by a base-pair expanded transcription system**

Nucleic Acids Symp Ser 2004 48: 35-36; doi:10.1093/nass/48.1.35

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Kouichi Ishiyama, Gerald E. Smyth, Toshihiro Ueda, Yutaka Masutomi, Tadaaki Ohgi, and Junichi Yano

**Novel nucleic acids with left-handed helicity**

Nucleic Acids Symp Ser 2004 48: 37-38; doi:10.1093/nass/48.1.37

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Toru Sugiyama, Reiko Kuroda, and Atsushi Kittaka

**Topological stabilization of PNA-DNA invasion complex**

Nucleic Acids Symp Ser 2004 48: 39-40; doi:10.1093/nass/48.1.39

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Hiroki Kumamoto, Keisuke Kato, Kazuhiro Haraguchi, Hiromichi Tanaka, Takao Nitanda, Masanori Baba, Ginger E. Dutschman, and Yung-Chi Cheng

**Synthesis of carbocyclic analogues of 4'-ethynyl- and 4'-cyano-d4T**

Nucleic Acids Symp Ser 2004 48: 41-42; doi:10.1093/nass/48.1.41

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Kazuhiro Haraguchi, Masanori Sumino, Shingo Takeda, and Hiromichi Tanaka

**An alternative method suitable for a large scale synthesis of 4'-ethynyl-2',3'-didehydro-3'-deoxythymidine**

Nucleic Acids Symp Ser 2004 48: 43-44; doi:10.1093/nass/48.1.43

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Kohei Yamada, Noritake Matsumoto, and Hiroyuki Hayakawa  
**Practical synthesis of 2'-deoxy-2'-fluoroarabinofuranosyl purine nucleosides by chemo-enzymatic method**

Nucleic Acids Symp Ser 2004 48: 45-46; doi:10.1093/nass/48.1.45

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Yutaka Kubota, Kazuhiro Haraguchi, Mayumi Kunikata, Mari Hayashi, Masaomi Ohkawa, and Hiromichi Tanaka

**Stereoselective synthesis of 4'-carbon-substituted xylofuranosyladenines**

Nucleic Acids Symp Ser 2004 48: 47-48; doi:10.1093/nass/48.1.47

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Hideki Takasu, Yoshie Tsuji, Hironao Sajiki, and Kosaku Hirota

**Modification of the sugar moiety in uridine via 2',3'-epoxyuridine derivatives**

Nucleic Acids Symp Ser 2004 48: 49-50; doi:10.1093/nass/48.1.49

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Risa Watanabe and Hideyuki Sugimura

**Examination of protecting groups in the synthesis of nucleosides by intramolecular glycosylation**

Nucleic Acids Symp Ser 2004 48: 51-52; doi:10.1093/nass/48.1.51

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Kazuo Kamaike, Yoshihiro Kayama, Mitsuhiro Isobe, and Etsuko Kawashima

**Efficient syntheses of [2-<sup>15</sup>N]guanosine and 2'-deoxy[2-<sup>15</sup>N]guanosine derivatives**

Nucleic Acids Symp Ser 2004 48: 53-54; doi:10.1093/nass/48.1.53

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Yusuke Ohba, Yusuke Terui, Kazuo Kamaike, Tairo Oshima, and Etsuko Kawashima

**Design, synthesis and analysis of a pyrrolepolyamide-nucleoside hybrid**

Nucleic Acids Symp Ser 2004 48: 55-56; doi:10.1093/nass/48.1.55

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Takeshi Wada, Satoshi Fujiwara, Terutoshi Sato, Natsuhisa Oka, and Kazuhiko Saigo

**Stereocontrolled synthesis of phosphorothioate RNA by the oxazaphospholidine approach**

Nucleic Acids Symp Ser 2004 48: 57-58; doi:10.1093/nass/48.1.57

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Mariko Aso, Mitsuhiro Fukuda, Kazuteru Usui, and Hiroshi Suemune

**Synthesis of oligonucleotide containing 4'-o-nitrobenzyloxythymidine and its reactivity**

Nucleic Acids Symp Ser 2004 48: 59-60; doi:10.1093/nass/48.1.59

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Ali Md. Monsur, Fumi Nagatsugi, Motoi Oishi, Yukio Nagasaki, Kazunari Kataoka, and Shigeki Sasaki

**Synthesis and evaluation of the functional oligonucleotides-PEG conjugates**

Nucleic Acids Symp Ser 2004 48: 61-62; doi:10.1093/nass/48.1.61

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Hiroyasu Inohara, Satoshi Obika, and Takeshi Imanishi

**2',4'-BNA derivatives bearing an unnatural nucleobase: Synthesis and application to triplex-forming oligonucleotides**

Nucleic Acids Symp Ser 2004 48: 63-64; doi:10.1093/nass/48.1.63

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)☐ Kohji Seio, Takeshi Sasami, and Mitsuo Sekine**Synthesis and base recognition ability of oligoribonucleotides incorporating 2'-O-methyl-3-deazaguanosine**

Nucleic Acids Symp Ser 2004 48: 65-66; doi:10.1093/nass/48.1.65

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)☐ Satoshi Shuto, Yutaka Tamura, Yuji Yamamoto, Tetsuya Kodama, Shuichi Hoshika, Satoshi Ichikawa, Yoshihito Ueno, Eiko Ohtsuka, Yasuo Komatsu, and Akira Matsuda**Stable hairpins having a loop consisting of 3'-deoxy-4'-C-(2-hydroxyethyl)thymidines**

Nucleic Acids Symp Ser 2004 48: 67-68; doi:10.1093/nass/48.1.67

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)☐ Yosuke Taniguchi, Ayako Nakamura, Yusuke Senko, and Shigeki Sasaki**Effects of 5-substituted pyrimidine nucleoside bases of WNA on stability of triplex DNA**

Nucleic Acids Symp Ser 2004 48: 69-70; doi:10.1093/nass/48.1.69

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)☐ Akimitsu Okamoto, Taku Kamei, Kazuo Tanaka, and Isao Saito**Electrochemical behavior of gold electrodes modified with photosensitizer-tethered DNA**

Nucleic Acids Symp Ser 2004 48: 70-71; doi:10.1093/nass/48.1.70

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)☐ Yuji Ochi, Akimitsu Okamoto, and Isao Saito**Fluorescent probe for the detection of DNA conformational transition**

Nucleic Acids Symp Ser 2004 48: 73-74; doi:10.1093/nass/48.1.73

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)☐ Reiko Iwase, Yuji Namie, Tetsuji Yamaoka, and Akira Murakami**Synthesis and properties of fluorescent-labeled oligonucleotides containing amide-linked dinucleoside with pyrene**

Nucleic Acids Symp Ser 2004 48: 75-76; doi:10.1093/nass/48.1.75

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)☐ Masayuki Ogino, Yoshinaga Yoshimura, Akio Nakazawa, Isao Saito, and Kenzo Fujimoto**Reversible DNA photoligation via  $\alpha$ -5-cyanovinyldoxyuridine**

Nucleic Acids Symp Ser 2004 48: 77-78; doi:10.1093/nass/48.1.77

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)☐ Yukihiro Tachi, Arimichi Okazaki, Kazuhito Tanabe, Hiroshi Hatta, and Sei-ichi Nishimoto**Drug release from functionalized oligodeoxynucleotide by photo-induced electron transfer**

Nucleic Acids Symp Ser 2004 48: 79-80; doi:10.1093/nass/48.1.79

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)☐ Yoshinaga Yoshimura, Yoshiaki Ito, and Kenzo Fujimoto**Interstrand DNA photocrosslinking by photoresponsive artificial nucleic acid**

Nucleic Acids Symp Ser 2004 48: 81-82; doi:10.1093/nass/48.1.81

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Satoshi Ikeya and Akira Ono  
**Formation of novel double-stranded structures formed by oligodeoxyribonucleotides carrying aromatic groups**  
Nucleic Acids Symp Ser 2004 48: 83-84; doi:10.1093/nass/48.1.83  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ☐ Yuko Watanabe, Takahiro Minowa, and Akira Ono  
**Metal ion binding of substituted pyrimidine base pairs in DNA duplexes**  
Nucleic Acids Symp Ser 2004 48: 85-86; doi:10.1093/nass/48.1.85  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ☐ Yan Xu, Hiroshi Sugiyama, Kazuhiko Tanaka, and Hideji Osuga  
**The recognition of Z-DNA by chiral helicene**  
Nucleic Acids Symp Ser 2004 48: 87-88; doi:10.1093/nass/48.1.87  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ☐ Ryu Tashiro and Hiroshi Sugiyama  
**The molecular-thermometer based on B-Z transition of DNA**  
Nucleic Acids Symp Ser 2004 48: 89-90; doi:10.1093/nass/48.1.89  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ☐ Akimitsu Okamoto, Ken-ichiro Nishiza, and Isao Saito  
**Synthesis and fluorescence properties of oligonucleotides containing pyrene-dimethylaniline chromophore**  
Nucleic Acids Symp Ser 2004 48: 91-92; doi:10.1093/nass/48.1.91  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ☐ Chikara Dohno and Isao Saito  
**Base-discriminating fluorescent DNA probe based on the guanine-specific fluorescence quenching**  
Nucleic Acids Symp Ser 2004 48: 93-94; doi:10.1093/nass/48.1.93  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ☐ Naoto Maru, Ken-ichiroh Shohda, and Tadashi Sugawara  
**Assembling liposomes by means of an oligonucleotide tagged with a lipophilic unit**  
Nucleic Acids Symp Ser 2004 48: 95-96; doi:10.1093/nass/48.1.95  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ☐ Isamu Fujiya and Kazuo Harada  
**Formation of dendrimeric RNA assemblies through RNA loop-loop interactions**  
Nucleic Acids Symp Ser 2004 48: 97-98; doi:10.1093/nass/48.1.97  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ☐ Takanori Kubo, Ken-ichi Kanno, Bakalova Rumiana, Hideki Ohba, and Masayuki Fujii  
**Precisely controlled intracellular delivery of DNA-peptide conjugates**  
Nucleic Acids Symp Ser 2004 48: 99-100; doi:10.1093/nass/48.1.99  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ☐ Hidetaka Torigoe, Akira Ono, and Ayako Takamori  
**Silver (I) cation specifically stabilizes heteroduplex with C:C mismatch base pair: toward the efficient detection of single nucleotide polymorphism (2)**  
Nucleic Acids Symp Ser 2004 48: 101-102; doi:10.1093/nass/48.1.101  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Shinobu Sato, Takahiko Nojima, Hiroki Kondo, and Shigeori Takenaka  
**Electrochemical gene detection by using adamanthyl naphthalene diimide coupled with ferrocenyl- $\beta$ -cyclodextrin**  
Nucleic Acids Symp Ser 2004 48: 103-104; doi:10.1093/nass/48.1.103  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ❑ Itsuko Ishizaki, Makoto Nomura, Kazuo Yamamoto, Toshifumi Matsuyama, Masaki Mishima, and Chojiro Kojima  
**Solution NMR study of DNA recognition mechanism of IRF4 protein**  
Nucleic Acids Symp Ser 2004 48: 105-106; doi:10.1093/nass/48.1.105  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ❑ Hisae Karimata, Shu-ichi Nakano, Tatsuo Ohmichi, Junji Kawakami, and Naoki Sugimoto  
**Stabilization of a DNA duplex under molecular crowding conditions of PEG**  
Nucleic Acids Symp Ser 2004 48: 107-108; doi:10.1093/nass/48.1.107  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ❑ Toshimasa Kiriata, Shu-ichi Nakano, and Naoki Sugimoto  
**Secondary structure change of oligonucleotide induced by salts**  
Nucleic Acids Symp Ser 2004 48: 109-110; doi:10.1093/nass/48.1.109  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ❑ Akimasa Matsugami, Yusuke Tamura, Michiko Kudo, Seiichi Uesugi, Rika Yamamoto, Penmetcha Kumar, and Masato Katahira  
**Structure of RNA aptamer for HIV Tat complexed with Tat-derived peptide**  
Nucleic Acids Symp Ser 2004 48: 111-112; doi:10.1093/nass/48.1.111  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ❑ Hiroshi Yamaguchi, Shuji Oda, Yoshinori Kondo, Akira Ono, and Yoshiyuki Tanaka  
**Spectroscopic analysis of DNA duplexes including T-T mismatches**  
Nucleic Acids Symp Ser 2004 48: 113-114; doi:10.1093/nass/48.1.113  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ❑ Chieko Naoe, Masaru Tsunoda, and Kazuo T. Nakamura  
**Structural study of the archaeal homologous recombinant protein complexed with DNA fragments**  
Nucleic Acids Symp Ser 2004 48: 115-116; doi:10.1093/nass/48.1.115  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ❑ Yoshiteru Sato, Kousei Kimura, and Akio Takénaka  
**Crystallization and preliminary X-ray analysis of RNA oligomers containing CUG repeats which induce type 1 myotonic dystrophy**  
Nucleic Acids Symp Ser 2004 48: 117-118; doi:10.1093/nass/48.1.117  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ❑ Satoru Shimizu, Tomonori Kobuna, Tomoko Sunami, and Akio Takénaka  
**Crystal structure of d(CGAAGC); association of two parallel-stranded duplexes through anti-parallel-stranded duplex formation**  
Nucleic Acids Symp Ser 2004 48: 119-120; doi:10.1093/nass/48.1.119  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
  
- ❑ Kenta Mitomi, Tanashaya Ciengshin, Jiro Kondo, and Akio Takénaka  
**Structural stability and length of I-motif of G-quartet in DNA octaplex**

Nucleic Acids Symp Ser 2004 48: 121-122; doi:10.1093/nass/48.1.121  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Yuki Goto, Akio Kobori, Hitoshi Suda, and Kazuhiko Nakatani  
**Separation of mismatched DNA by using the affinity column immobilizing mismatch-binding ligands**

Nucleic Acids Symp Ser 2004 48: 123-124; doi:10.1093/nass/48.1.123  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Toshihiro Ihara, Motoko Mukae, Tomohiro Fujii, Yusuke Kitamura, and Akinori Jyo  
**Cooperative hybridization of DNA conjugates and its analytical application**

Nucleic Acids Symp Ser 2004 48: 125-126; doi:10.1093/nass/48.1.125  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Satoshi Fujii  
**Database and structural characterization of intermolecular interactions in nucleic acid and protein complex**

Nucleic Acids Symp Ser 2004 48: 127-128; doi:10.1093/nass/48.1.127  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Akio Kobori, Tao Peng, Gosuke Hayashi, and Kazuhiko Nakatani  
**SPR fingerprinting of mismatched base pair**

Nucleic Acids Symp Ser 2004 48: 129-130; doi:10.1093/nass/48.1.129  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Toshiyuki Takiya, Yasuhiro Seto, Hideyo Yasuda, Tohru Suzuki, and Keiichi Kawai  
**An empirical approach for thermal stability (T<sub>m</sub>) prediction of PNA/DNA duplexes**

Nucleic Acids Symp Ser 2004 48: 131-132; doi:10.1093/nass/48.1.131  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Shun-ichi Kawahara, Yasuomi Takagi, Kazunari Taira, and Hideyuki Kobayashi  
**Theoretical study about remarkable stability of guanine tetramer**

Nucleic Acids Symp Ser 2004 48: 133-134; doi:10.1093/nass/48.1.133  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Akifumi Nishihira, Hiroaki Ozaki, Masayuki Wakabayashi, Masayasu Kuwahara, and Hiroaki Sawai  
**Detection of biomolecule by aptamer beacon**

Nucleic Acids Symp Ser 2004 48: 135-136; doi:10.1093/nass/48.1.135  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Takako Ohyama, Hajime Mita, and Yasuhiko Yamamoto  
**Study on the complexation between DNA and cationic porphyrin derivatives**

Nucleic Acids Symp Ser 2004 48: 137-138; doi:10.1093/nass/48.1.137  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Takuma Katayama, Atsushi Maruyama, Satoshi Obika, Takeshi Imanishi, and Hidetaka Torigoe  
**Synergistic stabilization of triplex by combination of comb-type cationic copolymer and 2',4'-BNA**

Nucleic Acids Symp Ser 2004 48: 139-140; doi:10.1093/nass/48.1.139  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Yuhsuke Ohmi, Masahiro Sato, and Masato Ohtsuka  
**Direct subcloning of target region from BAC insert using restriction enzymes that produce non-**



**identical cohesive ends**

Nucleic Acids Symp Ser 2004 48: 141-142; doi:10.1093/nass/48.1.141

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

Masato Abe, Hiroyuki Hori, Takeshi Nakanishi, Fumio Arisaka, Tomio Ogasawara, Tatsuya Sawasaki, Masaya Kitamura, and Yaeta Endo

**Application of cell-free translation systems to studies of cofactor binding proteins**Nucleic Acids Symp Ser 2004 48: 143-144; doi:10.1093/nass/48.1.143 [\[PDF\]](#) [\[Request Permissions\]](#)

□ Hiroaki Terato, Ruri Tanaka, Yusuke Nakaarai, Yoshiya Furusawa, and Hiroshi Ide

**Analysis of DNA damage generated by high-energy particles**

Nucleic Acids Symp Ser 2004 48: 145-146; doi:10.1093/nass/48.1.145

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

□ Masahiro Sato, Masato Ohtsuka, and Yuhsuke Ohmi

**Repeated GenomiPhi, phi29 DNA polymerase-based rolling circle amplification, is useful for generation of large amounts of plasmid DNA**

Nucleic Acids Symp Ser 2004 48: 147-148; doi:10.1093/nass/48.1.147

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

□ Yoji Yamamoto and Makoto Komiyama

**Combination of S1 nuclease and PNA for site-selective hydrolysis of double-stranded DNA. - Comparison with the site-selective hydrolysis using Ce(IV)/EDTAY-**

Nucleic Acids Symp Ser 2004 48: 149-150; doi:10.1093/nass/48.1.149

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

□ Yoshihito Kitamura, Junya Yoshida, Wen Chen, Jing-Min Zhou, Jun Sumaoka, and Makoto Komiyama

**Manipulation of DNA through Ce(IV)/EDTA-induced site-selective hydrolysis using phosphate-bearing oligonucleotides**

Nucleic Acids Symp Ser 2004 48: 151-152; doi:10.1093/nass/48.1.151

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

Mikio Kato, Shingo Hokabe, Takeshi Haku, Shinsei Minoshima, Kuniaki Nagayama, and Nobuyoshi Shimizu

**Single-stranded DNA structure of a minisatellite sequence isolated from *Acanthopagrus latus***

Nucleic Acids Symp Ser 2004 48: 153-154; doi:10.1093/nass/48.1.153 [\[PDF\]](#) [\[Request Permissions\]](#)

□ Masaru Tsunoda, Yoshio Kusakabe, Nobutada Tanaka, Satoshi Ohno, Masashi Nakamura, Toshiya Senda, Mitsuo Sekine, Takashi Yokogawa, Kazuya Nishikawa, and Kazuo T. Nakamura

**Three-dimensional structure of the ternary complex of yeast tyrosyl-tRNA synthetase**

Nucleic Acids Symp Ser 2004 48: 155-156; doi:10.1093/nass/48.1.155

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

□ Yasumitsu Sakamoto, Nobutada Tanaka, Tomomi Ichimiya, Tadashi Kurihara, and Kazuo T. Nakamura

**Three-dimensional structure of a cyclic-nucleotide phosphodiesterase from human brain**

Nucleic Acids Symp Ser 2004 48: 157-158; doi:10.1093/nass/48.1.157

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

□ Masato Odawara

**Molecular scanning of susceptibility genes for the development of coronary heart disease in Japanese**

Nucleic Acids Symp Ser 2004 48: 159-160; doi:10.1093/nass/48.1.159

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Takayuki Ichikawa, Atsushi Kuno, Masumi Taki, Takahiro Hohsaka, Masahiko Sisido, Satoshi Kaneko, Kazunari Taira, Hideyuki Kobayashi, and Tsunemi Hasegawa  
**Site-directed incorporation of non-natural amino acid into *Streptomyces* xylanase**  
Nucleic Acids Symp Ser 2004 48: 161-162; doi:10.1093/nass/48.1.161  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Yuko Nishiyama, Yohei Okuda, Hye-Sook Kim, Takahisa Huruta, Mikio Kimura, and Yusuke Wataya  
**Genetic analysis of mefloquine-resistant mechanism of *Plasmodium falciparum***  
Nucleic Acids Symp Ser 2004 48: 163-164; doi:10.1093/nass/48.1.163  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Tomoaki Ando, Hiromichi Suzuki, Kimihito Komura, Terumichi Tanaka, Akira Hiraishi, and Yo Kikuchi  
**Extracellular RNAs produced by a marine photosynthetic bacterium *Rhodovulum sulfidophilum***  
Nucleic Acids Symp Ser 2004 48: 165-166; doi:10.1093/nass/48.1.165  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Zenjiro Sampei, Yuri Nagao, Tetsuya Fukazawa, Satoko Fukagawa, Takatoshi Matsuo, Kimiko Endo, Rie Yatsunami, and Satoshi Nakamura  
**Gene cloning and deletion analysis of chitinase J from alkaliphilic *Bacillus* sp. strain J813**  
Nucleic Acids Symp Ser 2004 48: 167-168; doi:10.1093/nass/48.1.167  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Takayuki Kosaka, Takatoshi Ozawa, Rie Yatsunami, and Satoshi Nakamura  
**Molecular cloning of transducer genes *hjtA* and *hjtC* from extremely halophilic archaeon *Haloarcula japonica***  
Nucleic Acids Symp Ser 2004 48: 169-170; doi:10.1093/nass/48.1.169  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Katuhito Kino, Nobutoshi Ito, Kaoru Sugawara, Hiroshi Sugiyama, and Fumio Hanaoka  
**Translesion synthesis by human DNA polymerase  $\eta$  across oxidative products of guanine**  
Nucleic Acids Symp Ser 2004 48: 171-172; doi:10.1093/nass/48.1.171  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Naoki Makita, Satoru Inoue, Toshihiro Akaike, and Atsushi Maruyama  
**Improved performance of a DNA nanomachine by cationic copolymers**  
Nucleic Acids Symp Ser 2004 48: 173-174; doi:10.1093/nass/48.1.173  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Atsushi Katafuchi, Mayumi Matsubara, Hiroaki Terato, Shigenori Iwai, Fumio Hanaoka, and Hiroshi Ide  
**Damage specificity of human DNA glycosylases for oxidative pyrimidine lesions**  
Nucleic Acids Symp Ser 2004 48: 175-176; doi:10.1093/nass/48.1.175  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Kazuo Yoshida  
**A simple relationship between occurrence of base sequence patterns and GC contents in DNA and its computer simulation**  
Nucleic Acids Symp Ser 2004 48: 177-178; doi:10.1093/nass/48.1.177  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Takayuki Sekito, Kozi Okamoto, Hiromichi Kitano, and Kazuo Yoshida  
**Up-to-dating of complete sequenced DNA data of *Hansenula wingei* yeast mitochondria**  
Nucleic Acids Symp Ser 2004 48: 179-180; doi:10.1093/nass/48.1.179

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Yoshinori Tsuchiya, Kazuki Morioka, Jyunsuke Shirai, and Kazuo Yoshida

**Structural requirements of signal peptide in insect cell**

Nucleic Acids Symp Ser 2004 48: 181-182; doi:10.1093/nass/48.1.181

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Binzhi Ren and Makoto Komiyama

**High-throughput SNP genotyping by combining exonuclease III, nuclease S1, and acridine-bearing PNA**

Nucleic Acids Symp Ser 2004 48: 183-184; doi:10.1093/nass/48.1.183

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Wataru Tsuchiya, Takuya Umehara, Atsushi Kuno, and Tsunemi Hasegawa

**Determination of tryptophan tRNA recognition sites for tryptophanyl-tRNA synthetase from hyperthermophilic archaeon, *Aeropyrum pernix* K1**

Nucleic Acids Symp Ser 2004 48: 185-186; doi:10.1093/nass/48.1.185

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Toyofumi Yamaguchi, Hazuki Takahashi, Yoko Harada, Masato Yoshikawa, Saori Iyono, Motoko Inomata, Tokumi Maruyama, and Mineo Saneyoshi

**Telomere shortening in human HL60 cells by treatment with deoxyguanosine analogs**

Nucleic Acids Symp Ser 2004 48: 187-188; doi:10.1093/nass/48.1.187

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Jianzhi Pan, Chuyuan Jin, Takehide Murata, and Kazunari K. Yokoyama

**Histone modification activities of JDP2 associated with retinoic acid-induced differentiation of F9 cells**

Nucleic Acids Symp Ser 2004 48: 189-190; doi:10.1093/nass/48.1.189

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Toshiyasu Mikuma, Hiroaki Kawasaki, Yasuhiko Yamamoto, and Kazunari Taira

**Overexpression of Dicer enhances RNAi-mediated gene silencing by short-hairpin RNAs (shRNAs) in human cells**

Nucleic Acids Symp Ser 2004 48: 191-192; doi:10.1093/nass/48.1.191

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Rie Yatsunami, Shinichi Takaichi, and Satoshi Nakamura

**Isolation of *crtI* homolog from extremely halophilic archaeon *Haloarcula japonica* strain TR-1**

Nucleic Acids Symp Ser 2004 48: 193-194; doi:10.1093/nass/48.1.193

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Takuya Umehara, Kotaro Fukuda, Fumiko Nishikawa, Satoru Sekiya, Michinori Kohara, Tsunemi Hasegawa, and Satoshi Nishikawa

**Designing and analysis of a potent bi-functional aptamers that inhibit protease and helicase activities of HCV NS3**

Nucleic Acids Symp Ser 2004 48: 195-196; doi:10.1093/nass/48.1.195

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- Seiya Watanabe, Tsutomu Kodaki, and Keisuke Makino

**Various mutations by using yeast gene for protein-engineering**

Nucleic Acids Symp Ser 2004 48: 197-198; doi:10.1093/nass/48.1.197

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Jing Zhao, Jingmin Zhou, Mingzhe Liu, Hiroyuki Asanuma, and Makoto Komiyama  
**Photoregulation of in vitro transcription/translation of GFP by tethering an azobenzene to T7 promoter**  
Nucleic Acids Symp Ser 2004 48: 199-200; doi:10.1093/nass/48.1.199  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Terumichi Tanaka, Shinnosuke Haga, Naomi Kanda, Tomoaki Ando, and Yo Kikuchi  
**Mutational analyses of neighboring domains of active center of RNase P ribozyme**  
Nucleic Acids Symp Ser 2004 48: 201-202; doi:10.1093/nass/48.1.201  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Junji Kawakami, Chisako Maiya, and Naoki Sugimoto  
**Analysis of the secondary structure of a ribozyme that requires His as a cofactor**  
Nucleic Acids Symp Ser 2004 48: 203-204; doi:10.1093/nass/48.1.203  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Shunta Sasaki, Akihiko Narita, Toshikazu Bando, and Hiroshi Sugiyama  
**Molecular design of alkylating pyrrole-imidazole polyamides with indole linker**  
Nucleic Acids Symp Ser 2004 48: 205-206; doi:10.1093/nass/48.1.205  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ ATM Zafrul Azam, Minoru Hasegawa, Tomohisa Moriguchi, and Kazuo Shinozuka  
**Synthesis and alternate-stranded triplex forming ability of novel  $\alpha$ - $\beta$  chimeric oligonucleotides bearing an intercalator-conjugated nucleobase**  
Nucleic Acids Symp Ser 2004 48: 207-208; doi:10.1093/nass/48.1.207  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Wataru Yoshioka, Yoshiya Ikawa, Luc Jaeger, and Tan Inoue  
**A ligase ribozyme obtained from a structured pool**  
Nucleic Acids Symp Ser 2004 48: 209-210; doi:10.1093/nass/48.1.209  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Hiroaki Kawasaki and Kazunari Taira  
**MicroRNA-196 inhibits HOXB8 expression in myeloid differentiation of HL60 cells**  
Nucleic Acids Symp Ser 2004 48: 211-212; doi:10.1093/nass/48.1.211  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Hitomi Kimura, Hiroaki Kawasaki, and Kazunari Taira  
**Mouse microRNA-23b regulates expression of *Hes1* gene in P19 cells**  
Nucleic Acids Symp Ser 2004 48: 213-214; doi:10.1093/nass/48.1.213  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Mayumi Amano  
**NMR studies of the alternative conformation of hammerhead ribozyme in the solution**  
Nucleic Acids Symp Ser 2004 48: 215-216; doi:10.1093/nass/48.1.215  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ❑ Kazuhiro Hara, Masaya Kitamura, and Hideo Inoue  
**Synthesis and hybridization studies on oligonucleotide-metal complex conjugates**  
Nucleic Acids Symp Ser 2004 48: 217-218; doi:10.1093/nass/48.1.217

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Yun Shi, Kenzo Machida, Akinori Kuzuya, and Makoto Komiyama  
**Simultaneous use of highly acidic acridine and rigid chiral linker for efficient site-selective RNA scission**  
Nucleic Acids Symp Ser 2004 48: 219-220; doi:10.1093/nass/48.1.219  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Mingzhe Liu, Hiroyuki Asanuma, and Makoto Komiyama  
**Real time monitoring of the interaction of T7 RNA polymerase with azobenzene-tethered T7 promoter by biosensor**  
Nucleic Acids Symp Ser 2004 48: 221-222; doi:10.1093/nass/48.1.221  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Yuka Kato, Noriaki Minakawa, Naoki Ogawa, and Akira Matsuda  
**In vitro selection of human  $\alpha$ -thrombin RNA aptamer using 4'-thioUTP and 4'-thioCTP**  
Nucleic Acids Symp Ser 2004 48: 223-224; doi:10.1093/nass/48.1.223  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Atsushi Kobayashi, Motomitsu Kitaoka, and Kiyoshi Hayashi  
**Analyses of PCR products using DNA templates containing a consecutive deoxyinosine sequence**  
Nucleic Acids Symp Ser 2004 48: 225-226; doi:10.1093/nass/48.1.225  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Mizuki Kitamatsu, Masanori Shigeyasu, Tomoyuki Okada, Mamoru Saitoh, and Masahiko Sisido  
**Synthesis of pyrrolidine-based oxy-peptide nucleic acids that contain four bases and their properties**  
Nucleic Acids Symp Ser 2004 48: 227-228; doi:10.1093/nass/48.1.227  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Shoichiro Asayama, Ai Hamaya, Takashi Sekine, Hiroyoshi Kawakami, and Shohji Nagaoka  
**Aminated poly(L-histidine) as new pH-sensitive DNA carrier**  
Nucleic Acids Symp Ser 2004 48: 229-230; doi:10.1093/nass/48.1.229  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Kazunori Ikebukuro, Wataru Yoshida, and Koji Sode  
**Development of a novel DNA sensing system using DNA aptamer inhibited enzymatic activity 1**  
Nucleic Acids Symp Ser 2004 48: 231-232; doi:10.1093/nass/48.1.231  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Kenji Kanaori, Ami Yasumura, Kunihiro Tajima, and Keisuke Makino  
**<sup>1</sup>H NMR study on equilibrium between parallel G-quartet structures**  
Nucleic Acids Symp Ser 2004 48: 233-234; doi:10.1093/nass/48.1.233  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Tomoko Hashimoto, Akira Murakami, and Tetsuji Yamaoka  
**An enhanced site-specific transcription efficiency of DNA/polypeptide-vector polyplexes**  
Nucleic Acids Symp Ser 2004 48: 235-236; doi:10.1093/nass/48.1.235  
[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)
- ☐ Masahiro Mizuta, Takeshi Terada, Kohji Seio, and Mitsuo Sekine

**Properties of ferrocene-polyamide compounds as redox active DNA binding molecules toward the SNPs detection**

Nucleic Acids Symp Ser 2004 48: 237-238; doi:10.1093/nass/48.1.237

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Youichi Tsuyama, Masayuki Kitajima, Naoko Miyano-Kurosaki, and Hiroshi Takaku  
**Anti-tumor effects of naked plasmid DNA using a hydrodynamics-based procedure**

Nucleic Acids Symp Ser 2004 48: 239-240; doi:10.1093/nass/48.1.239

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Ken-ichi Haruna, Kazuhito Tanabe, Haruka Iida, Hiroshi Hatta, and Sei-ichi Nishimoto  
**The effect of triple helix forming on charge transport in DNA**

Nucleic Acids Symp Ser 2004 48: 241-242; doi:10.1093/nass/48.1.241

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Yoshio Saito, Keiichiro Kanatani, Yuji Ochi, Akimitsu Okamoto, and Isao Saito  
**Design of base-discriminating fluorescent (BDF) nucleobase for SNP typing**

Nucleic Acids Symp Ser 2004 48: 243-244; doi:10.1093/nass/48.1.243

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Koh-ichiroh Shohda and Tadashi Sugawara

**Morphological change of a liposome induced by an oligonucleotide tagged with lipophilic unit**

Nucleic Acids Symp Ser 2004 48: 245-246; doi:10.1093/nass/48.1.245

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Naoko Kawakami, Takashi Fujishima, Mitsunobu Nakamura, and Kazushige Yamana  
**Electrochemistry of redox-modified oligonucleotides bound to gold surface**

Nucleic Acids Symp Ser 2004 48: 247-248; doi:10.1093/nass/48.1.247

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Seung Pil Pack, Daihei Yamamoto, Tsutomu Kodaki, and Keisuke Makino  
**Chemical synthesis of oxanine-contained oligodeoxynucleotides**

Nucleic Acids Symp Ser 2004 48: 249-250; doi:10.1093/nass/48.1.249

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Kosuke Mukumoto, Takahiko Nojima, and Shigeori Takenaka

**Synthesis of ferrocenyl carbodiimide as a novel ferrocenyl reagent of single stranded DNA**

Nucleic Acids Symp Ser 2004 48: 251-252; doi:10.1093/nass/48.1.251

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Isao Koike, Satoko Naito, Wataru Adachi, Masaru Tsunoda, Akira Ono, and Akio Takénaka

**Structural significances of pseudouridination and methylation of uridine residues in tRNA: X-Ray analyses of DNA dodecamers containing uridine and pseudouridine**

Nucleic Acids Symp Ser 2004 48: 253-254; doi:10.1093/nass/48.1.253

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Hirofumi Ohishi, Toshimasa Ishida, Kenji Suzuki, Kazimierz Grzeskowiak, Mamiko Odoko, and Nobuo Okabe

**The X-ray crystallographic study of the conformation of Z-DNA which bound to polyamine for the minor groove at room temperature and low temperature**

Nucleic Acids Symp Ser 2004 48: 255-256; doi:10.1093/nass/48.1.255

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ❑ Aki Inase, Takashi S. Kodama, Jafar Sharif, Yan Xu, Hirohito Ayame, Hiroshi Sugiyama, and Shigenori Iwai

**Analysis of distamycin A binding to UV-damaged DNA**

Nucleic Acids Symp Ser 2004 48: 257-258; doi:10.1093/nass/48.1.257

[Abstract] [PDF] [Request Permissions]

- ❑ Shu-ichi Nakano, Yuuki Uotani, Yosuke Anno, Masayuki Fujii, and Naoki Sugimoto

**Conformational change of a nucleotide by a base-pair mimic nucleoside in the complementary DNA strand**

Nucleic Acids Symp Ser 2004 48: 259-260; doi:10.1093/nass/48.1.259

[Abstract] [PDF] [Request Permissions]

- ❑ Hikoya Hayatsu, Kazuo Negishi, and Masahiko Shiraishi

**Accelerated bisulfite-deamination of cytosine in the genomic sequencing procedure for DNA methylation analysis**

Nucleic Acids Symp Ser 2004 48: 261-262; doi:10.1093/nass/48.1.261

[Abstract] [PDF] [Request Permissions]

- ❑ Tracy M. Wagner, Vinod Nair, Rebecca Guymon, Steven C. Pomerantz, Pamela F. Crain, Darrell R. Davis, and James A. McCloskey

**A novel method for sequence placement of modified nucleotides in mixtures of transfer RNA**

Nucleic Acids Symp Ser 2004 48: 263-264; doi:10.1093/nass/48.1.263

[Abstract] [PDF] [Request Permissions]

- ❑ Masayasu Kuwahara, Toshiyuki Kasamatsu, Masatoshi Hasegawa, Atsushi Shoji, Hiroaki Ozaki, and Hiroaki Sawai

**Screening of modified DNA aptamers that recognize DNA secondary structure**

Nucleic Acids Symp Ser 2004 48: 265-266; doi:10.1093/nass/48.1.265

[Abstract] [PDF] [Request Permissions]

- ❑ Kazuya Hirata, Yuichi Sato, Arihiro Kano, Toshihiro Akaike, and Atsushi Maruyama

**Nucleation-synchronized strand displacement for highly sensitive DNA analysis**

Nucleic Acids Symp Ser 2004 48: 267-268; doi:10.1093/nass/48.1.267

[Abstract] [PDF] [Request Permissions]

- ❑ Koji Tamura and Paul Schimmel

**Non-enzymatic aminoacylation of an RNA minihelix with an aminoacyl phosphate oligonucleotide**

Nucleic Acids Symp Ser 2004 48: 269-270; doi:10.1093/nass/48.1.269

[Abstract] [PDF] [Request Permissions]

- ❑ Hiroyuki Kamiya, Kazuya Satou, Mika Hori, Emiko Iida, Chieko Ishiguro, and Hideyoshi Harashima
- Mutagenesis by damaged deoxyribonucleotides and its prevention by MutT-type hydrolyzing enzymes**

Nucleic Acids Symp Ser 2004 48: 271-272; doi:10.1093/nass/48.1.271

[Abstract] [PDF] [Request Permissions]

- ❑ Sung Won Choi, Yuichi Sato, Toshihiro Akaike, and Atsushi Maruyama

**Evaluation of comb-type copolymers with different cationic groups as artificial nucleic acid chaperones**

Nucleic Acids Symp Ser 2004 48: 273-274; doi:10.1093/nass/48.1.273

[Abstract] [PDF] [Request Permissions]

- ☐ Hidetaka Torigoe, Akira Ono, and Kouji Kawahashi

**Thermodynamic analyses of the specific interaction between T:T mismatch base pair and mercury (II) cation: Toward the efficient detection of single nucleotide polymorphism (1)**

Nucleic Acids Symp Ser 2004 48: 275-276; doi:10.1093/nass/48.1.275

[Abstract] [PDF] [Request Permissions]

- ☐ Emi Niyada, Hidetsugu Sotoya, Akimasa Matsugami, Kiyoshi Ohashi, Seiichi Uesugi, and Masato Katahira

**Structure, stability and application to functional DNA/RNA of unique quadruplex**

Nucleic Acids Symp Ser 2004 48: 277-278; doi:10.1093/nass/48.1.277

[Abstract] [PDF] [Request Permissions]

- ☐ Yoji Yamamoto, Masao Mori, Takafumi Tomita, Jing-Min Zhou, and Makoto Komiyama

**Manipulation of double-stranded DNA by artificial restriction enzyme composed of Ce(IV)/EDTA and PNA**

Nucleic Acids Symp Ser 2004 48: 279-280; doi:10.1093/nass/48.1.279

[Abstract] [PDF] [Request Permissions]

- ☐ Nobutada Tanaka, Masayuki Nakanishi, Yoshio Kusakabe, Katsura Shiraiwa, Saori Yabe, Yasutomo Ito, Yukio Kitade, and Kazuo T. Nakamura

**Three-dimensional structure of S-adenosyl-L-homocysteine hydrolase from *Plasmodium falciparum***

Nucleic Acids Symp Ser 2004 48: 281-282; doi:10.1093/nass/48.1.281

[Abstract] [PDF] [Request Permissions]

Dieter Söll

**Aminoacyl-tRNA tRNA formation: An essential function in protein synthesis and its quality control**

Nucleic Acids Symp Ser 2004 48: 283-284; doi:10.1093/nass/48.1.283 [PDF] [Request Permissions]

- ☐ Shunji Izuta, Miki Kitahara, and Tomoko Hamaguchi

**Regulation of eukaryotic DNA replication by proliferation associated protein, PA2G4, *in vitro***

Nucleic Acids Symp Ser 2004 48: 285-286; doi:10.1093/nass/48.1.285

[Abstract] [PDF] [Request Permissions]

- ☐ Yoji Okugawa, Chie Otsuka, David Loakes, Hiroshi Sugiyama, and Kazuo Negishi

**UVA-induced degradation of 8-hydroxyguanine in oligonucleotide and the effect on its activities in yeast oligonucleotide transformation assay**

Nucleic Acids Symp Ser 2004 48: 287-288; doi:10.1093/nass/48.1.287

[Abstract] [PDF] [Request Permissions]

- ☐ Kumiko Hibino, Yuko Yoshikawa, and Shizuaki Murata

**Folding transition of DNA depending on ionic environments**

Nucleic Acids Symp Ser 2004 48: 289-290; doi:10.1093/nass/48.1.289

[Abstract] [PDF] [Request Permissions]

- ☐ Kazimierz Grzeskowiak, Michael R. Sawaya, Hirofumi Ohishi, Koji Tomoo, and Toshimasa Ishida

**Function of AGCA tetrads in (CAG)<sup>n</sup> repeats**

Nucleic Acids Symp Ser 2004 48: 291-292; doi:10.1093/nass/48.1.291

[Abstract] [PDF] [Request Permissions]

- ☐ Hideaki Shiraishi

**Two-dimensional fractionation of complex mixture of oligonucleotides in microRNA size range**



Nucleic Acids Symp Ser 2004 48: 293-294; doi:10.1093/nass/48.1.293

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Sadao Hikishima, Kazuyuki Kuramoto, Noriaki Minakawa, and Akira Matsuda

**Properties and application of oligodeoxynucleotides containing the naphthyridine:imidazopyridopyrimidine base pairs with the ability to form four hydrogen bonds**

Nucleic Acids Symp Ser 2004 48: 295-296; doi:10.1093/nass/48.1.295

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Miho Takagi, Mariko Yagi, Kazuto Ishibashi, Yasuhiro Takeshima, Agus Surono, Masafumi Matsuo, and Makoto Koizumi

**Design of 2'-O-Me RNA/ENA<sup>TM</sup> chimera oligonucleotides to induce exon skipping in dystrophin pre-mRNA**

Nucleic Acids Symp Ser 2004 48: 297-298; doi:10.1093/nass/48.1.297

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Takayuki Konno, Daisuke Kurita, Toshiharu Takahashi, Akira Muto, and Hyouta Himeno

**Initiation-shift of *trans*-translation by aminoglycosides**

Nucleic Acids Symp Ser 2004 48: 299-300; doi:10.1093/nass/48.1.299

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Naohiko Shimada, Atsushi Mahara, Takashi Sakamoto, Tetsuji Yamaoka, and Akira Murakami

**Transcriptome analysis using fluorescence-labeled oligonucleotide**

Nucleic Acids Symp Ser 2004 48: 301-302; doi:10.1093/nass/48.1.301

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Takanori Kubo, Ken-ichi Kanno, Hideki Ohba, Bakalova Rumiana, and Masayuki Fujii

**Control of intracellular delivery of oligonucleotides by signal peptides and genetic expression in human cells**

Nucleic Acids Symp Ser 2004 48: 303-304; doi:10.1093/nass/48.1.303

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Ella Czarina Magat Juan, Takeshi Kurihara, Jiro Kondo, Takanori Ito, Yoshihito Ueno, Akira Matsuda, and Akio Takénaka

**X-Ray analyses of DNA duplexes containing 5-(N-aminohexyl)carbamoyl modifications**

Nucleic Acids Symp Ser 2004 48: 305-306; doi:10.1093/nass/48.1.305

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Hiroyuki Hamazaki, Saneyuki Ujino, Emi Abe, Naoko Miyano-Kurosaki, Kunitada Shimotohno, and Hiroshi Takaku

**RNAi expression mediated inhibition of HCV replication**

Nucleic Acids Symp Ser 2004 48: 307-308; doi:10.1093/nass/48.1.307

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

- ☐ Kazunori Ikebukuro, Wataru Yoshida, Takahisa Noma, and Koji Sode

**Development of a novel DNA sensing system using DNA aptamer that inhibits enzymatic activity 2**

Nucleic Acids Symp Ser 2004 48: 309-310; doi:10.1093/nass/48.1.309

[\[Abstract\]](#) [\[PDF\]](#) [\[Request Permissions\]](#)

[Clear](#)

[Get All Checked Abstract\(s\)](#)

**To see an article**, click its [Full Text] or [PDF] link. **To review many abstracts**, check the boxes to the left of the titles you want, and click the 'Get All Checked Abstract(s)' button. **To see one abstract at a time**, click its [Abstract] link.



Online ISSN 1746-8272 - Print ISSN 0261-3166

uspto

Copyright © 2009 Oxford University Press

**Oxford Journals** *Oxford University Press*

- [Site Map](#)
- [Privacy Policy](#)
- [Frequently Asked Questions](#)

Other Oxford University Press sites:  